SPEC SHEET



REQUEST-TO-EXIT DETECTOR

0E-RXD SINGLE OR DOUBLE DOOR SELECTABLE TRIGGER MODE



Model OE-RXD is a Request-to-Exit (REX) motion detector that detects motion within its adjustable coverage area via passive infrared (PIR) detector to provide door control via a door control device (such as magnetic lock or door strike) or access control system. A variety of programable options allows customization to suit the application. Durable ABS plastic housing. Optional trim plate (OE-TP) facilitates neat installation, especially with use of single gang box.

- SUITABLE FOR SINGLE OR DOUBLE DOORS
- SELECTABLE RELAY TRIGGER MODE
- ADJUSTABLE 0-60 SECOND RELAY LATCH TIME
- TIMER PROGRAMABLE FOR RESET OR NON-RESET
- 2 FORM C RELAY CONTACTS
- WALL OR CEILING MOUNT UP TO 15', WITH VERTICALLY AIMABLE LENS (COVERAGE PATTERN)
- OPERATING TEMP.: -20°F to 120°F (-29°C to 49°C)
- HUMIDITY: 0 TO 95%
- RFI IMMUNITY: 26MHz to 1000MHz @ 50 V/m

PART #: OE-RXD

UPC: 811914027812

LENGTH: 7"

WIDTH: 1.88" HEIGHT: 1.75"

WEIGHT: 5 OUNCES



UL 294 LISTED ACCESS CONTROL SYSTEM UNITS EDITION 6

3 **C€ RoHS**

